



**Safety Data Sheet
according to WHS Regulations**

Printing date 01.02.2021

Version number 4

Revision: 01.02.2021

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

· **Product identifier**

· **Trade name:** **Preciano Cleaner Airbrush - Set**

· **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.

· **Application of the substance / the mixture** Cleaning agent/ Cleaner

· **Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Kulzer Australia Pty Ltd
Unit 20, 53 Lorraine Street
Peakhurst, NSW 2210
Australia

Tel: +61 (0) 2 9153 0311

· **Informing department:** see above

· **Emergency telephone number:**

Poison Information Number: Australia 13 11 26 & New Zealand 0800 764 766

2 Hazard(s) Identification

· **Classification of the substance or mixture**

Flam. Liq. 3 H226 Flammable liquid and vapour.

STOT SE 3 H336 May cause drowsiness or dizziness.

· **Label elements**

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS02 GHS07

· **Signal word** Warning

· **Hazard statements**

Flammable liquid and vapour.

May cause drowsiness or dizziness.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Use explosion-proof electrical/ventilating/lighting equipment.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Store locked up.

· **Other hazards -**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

AUS

(Contd. on page 2)



**Safety Data Sheet
according to WHS Regulations**

Printing date 01.02.2021

Version number 4

Revision: 01.02.2021

Trade name: Preciano Cleaner Airbrush - Set

(Contd. of page 1)

3 Composition and Information on Ingredients

· **Chemical characterisation: Mixtures**

· **Description: -**

· **Dangerous components:**

CAS: 123-86-4 EINECS: 204-658-1	n-butyl acetate	Flam. Liq. 3, H226; STOT SE 3, H336	> 90%
CAS: 64-17-5 EINECS: 200-578-6	ethanol	Flam. Liq. 2, H225	0-5%

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

· **Description of first aid measures**

· **After inhalation** Supply fresh air; consult doctor in case of symptoms.

· **After skin contact** Instantly wash with water and soap and rinse thoroughly.

· **After eye contact**

Rinse opened eye for several minutes under running water. Then consult doctor.

· **After swallowing**

Rinse out mouth and then drink plenty of water.

In case of persistent symptoms consult doctor.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire Fighting Measures

· **Extinguishing media**

· **Suitable extinguishing agents**

CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· **Special hazards arising from the substance or mixture**

Can form explosive gas-air mixtures.

Formation of toxic gases is possible during heating or in case of fire.

Carbon monoxide (CO)

· **Advice for firefighters**

· **Protective equipment:**

Wear self-contained breathing apparatus.

Wear full protective suit.

· **Additional information -**

6 Accidental Release Measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· **Environmental precautions:**

Do not allow to enter drainage system, surface or ground water.

Do not allow to enter the ground/soil.

· **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).

(Contd. on page 3)



**Safety Data Sheet
according to WHS Regulations**

Printing date 01.02.2021

Version number 4

Revision: 01.02.2021

Trade name: Preciano Cleaner Airbrush - Set

Send for recovery or disposal in suitable containers.

(Contd. of page 2)

· **Reference to other sections**

See Section 13 for information on disposal.

See Section 8 for information on personal protection equipment.

-

7 Handling and Storage

· **Handling**

· **Precautions for safe handling**

Wear protective equipment. Keep unprotected persons away.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

· **Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· **Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and containers:** Store in cool location.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:**

Keep receptacle tightly sealed.

Store in a cool place.

· **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

123-86-4 n-butyl acetate

NES (Australia) Short-term value: 950 mg/m³, 200 ppm
Long-term value: 713 mg/m³, 150 ppm

PEL (USA) 710 mg/m³, 150 ppm

REL (USA) Short-term value: 950 mg/m³, 200 ppm
Long-term value: 710 mg/m³, 150 ppm

TLV (USA) Short-term value: 950 mg/m³, 200 ppm
Long-term value: 713 mg/m³, 150 ppm

64-17-5 ethanol

NES (Australia) 1880 mg/m³, 1000 ppm

PEL (USA) 1900 mg/m³, 1000 ppm

REL (USA) 1900 mg/m³, 1000 ppm

TLV (USA) Short-term value: 1880 mg/m³, 1000 ppm

· **DNELs**

64-17-5 ethanol

Oral	ge.pop., l.te, syst.	87 mg/Kg (nd)
Dermal	worker profess., l.te., syst.	343 mg/Kg/d (nd)
	ge.pop., acu., local	950 mg/Kg/d (nd)
	ge.pop., l.te, syst.	206 mg/Kg/d (nd)

(Contd. on page 4)

AUS



**Safety Data Sheet
according to WHS Regulations**

Printing date 05.07.2018

Version number 4

Revision: 01.02.2021

Trade name: Preciano Cleaner Airbrush - Set

(Contd. of page 3)

Inhalative	worker profess., acute, local	1900 mg/m ³ (nd)
	worker profess., l.te., syst.	1900 mg/m ³ (nd)
	ge.pop., acu., local	950 mg/m ³ (nd)
	ge.pop., l.te., syst.	114 mg/m ³ (nd)

· PNECs

64-17-5 ethanol

freshwater	0.96 mg/l (nd)
marine water	0.79 mg/l (nd)
STP	580 mg/l (nd)
sedim., dw, fre.wat.	3.6 mg/Kg (nd)
soil,dw	0.63 mg/Kg (nd)

· Additional information: The lists that were valid during the compilation were used as basis.

· Exposure controls

· Personal protective equipment

· General protective and hygienic measures

Wash hands during breaks and at the end of the work.

· Breathing equipment: Not required.

· Protection of hands:

Check protective gloves prior to each use for their proper condition.
recommended

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:

Neoprene gloves
Butyl rubber, BR
Nitrile rubber, NBR

· Eye protection: Safety glasses

· Body protection: Light weight protective clothing

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

· Form:

Fluid

· Colour:

Colourless

· Smell:

Characteristic

· Odour threshold:

Not determined.

· pH-value:

Not determined.

· Change in condition

· Melting point/freezing point:

-75 °C

(Contd. on page 5)

AUS



**Safety Data Sheet
according to WHS Regulations**

Printing date 01.02.2021

Version number 4

Revision: 01.02.2021

Trade name: Preciano Cleaner Airbrush - Set

(Contd. of page 4)

· Initial boiling point and boiling range: Not determined	
· Flash point:	25 °C
· Inflammability (solid, gaseous)	Not applicable.
· Ignition temperature:	240 °C
· Decomposition temperature:	Not determined.
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive air/vapour mixtures is possible.
· Critical values for explosion:	
· Lower:	1,2 Vol %
· Upper:	7,5 Vol %
· Steam pressure:	Not determined
· Density at 20 °C	0,86 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Partly soluble
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
· dynamic:	Not determined.
· kinematic:	Not determined.
· Other information	No further relevant information available.

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
 - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
 - Forms explosive gas mixture with air
 - Reacts with oxidizing agents
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** None
- **Additional information:** -

11 Toxicological Information

- **Information on toxicological effects**
 - **Acute toxicity**

· LD/LC50 values that are relevant for classification:		
123-86-4 n-butyl acetate		
Oral	LD50	14000 mg/kg (rat)
Inhalative	LC50/4 h	>21.0 mg/l (rat)

(Contd. on page 6)

AUS



**Safety Data Sheet
according to WHS Regulations**

Printing date 01.02.2021

Version number 4

Revision: 01.02.2021

Trade name: Preciano Cleaner Airbrush - Set

(Contd. of page 5)

64-17-5 ethanol

Oral	LD50	6200 mg/kg (rat)
Inhalative	LC50/4 h	95.6 mg/l (rat)

- **Primary irritant effect:**
 - **Skin corrosion/irritation** No irritant effect.
 - **Serious eye damage/irritation** No irritant effect.
- **Respiratory or skin sensitisation** No sensitizing effect known.

12 Ecological Information

- **Toxicity**
 - **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
 - **Bioaccumulative potential** No further relevant information available.
 - **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
 - **General notes:** Avoid transfer into the environment.
- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
 - **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
Disposal must be made according to official regulations.
- **Uncleaned packagings:**
 - **Recommendation:** Disposal must be made according to official regulations.
 - **Recommended cleaning agent:** Water, if necessary with cleaning agent.

14 Transport information

- **UN-Number**
 - **ADG, IMDG, IATA** 1993
- **UN proper shipping name**
 - **ADG** 1993 FLAMMABLE LIQUID, N.O.S., special provision 640E (BUTYL ACETATES, ETHANOL (ETHYL ALCOHOL))
- **IMDG** FLAMMABLE LIQUID, N.O.S. (BUTYL ACETATE, ETHANOL)
- **IATA** FLAMMABLE LIQUID, N.O.S. (BUTYL ACETATE, ETHANOL)

(Contd. on page 7)

AUS



Safety Data Sheet
according to WHS Regulations

Printing date 01.02.2021

Version number 4

Revision: 01.02.2021

Trade name: Preciano Cleaner Airbrush - Set

(Contd. of page 6)

· **Transport hazard class(es)**

· **ADG**



· **Class**
· **Label**

3 (F1) Flammable liquids.
3

· **IMDG, IATA**



· **Class**
· **Label**

3 Flammable liquids.
3

· **Packing group**

· **ADG, IMDG, IATA**

III

· **Environmental hazards:**

· **Marine pollutant:**

No

· **Special precautions for user**

Warning: Flammable liquids.

· **Kemler Number:**

30

· **EMS Number:**

F-E, S-E

· **Transport in bulk according to Annex II of
Marpol and the IBC Code**

Not applicable.

· **Transport/Additional information:**

-

· **UN "Model Regulation":**

UN1993, FLAMMABLE LIQUID, N.O.S., special
provision 640E (BUTYL ACETATES, ETHANOL
(ETHYL ALCOHOL)), 3, III

15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS02 GHS07

· **Signal word** Warning

· **Hazard statements**

Flammable liquid and vapour.

May cause drowsiness or dizziness.

· **Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

(Contd. on page 8)

AUS



**Safety Data Sheet
according to WHS Regulations**

Printing date 01.02.2021

Version number 4

Revision: 01.02.2021

Trade name: Preciano Cleaner Airbrush - Set

(Contd. of page 7)

Use explosion-proof electrical/ventilating/lighting equipment.

Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

Store locked up.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H336 May cause drowsiness or dizziness.

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· *** Data compared to the previous version altered.**

AUS