

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SYMPROfluid universal****6500 0600**

Revision date: 16.03.2021

Product code: 65000600\_AUS\_DD

Page 1 of 9

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1. Product identifier**

SYMPROfluid universal 6500 0600

**1.2. Relevant identified uses of the substance or mixture and uses advised against****Use of the substance/mixture**

Special denture cleaner for use in a denture cleaning appliance with needles.

**Uses advised against**

No information available.

**1.3. Details of the supplier of the safety data sheet****Manufacturer**

Company name: Renfert GmbH  
Street: Untere Giesswiesen 2  
Place: D-78247 Hilzingen  
Telephone: +49 7731 8208-0 Telefax: +49 7731 8208-70  
e-mail: info@renfert.com  
Internet: www.renfert.com

**Supplier**

Company name: Durodent Dental Supplies  
Street: Unit 6 / 51 Jersey Road  
Place: VIC 3153 AUS Bayswater  
Telephone: +61 (03) 9720 6700  
e-mail: sales@durodent.com.au  
Responsible Department: For non-urgent inquiries refer to:  
Durodent Dental Supplies (Office) Phone: (03) 97206700  
This number is only available during the following office hours:  
Mon-Thurs 09:00am - 5:00pm / Friday 09:00 - 4:30pm AEST

**1.4. Emergency telephone number:**

Australien Poisons Information Centre (National) 13 11 26 - 24 Hours / 7 Days

**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1B

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.

**2.2. Label elements****Regulation (EC) No. 1272/2008****Hazard components for labelling**

methanesulphonic acid

hydrochloric acid

**Signal word:** Danger

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

SYMPROfluid universal

6500 0600

Revision date: 16.03.2021

Product code: 65000600\_AUS\_DD

Page 2 of 9

## Pictograms:



## Hazard statements

- H290 May be corrosive to metals.  
 H314 Causes severe skin burns and eye damage.

## Precautionary statements

- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER/doctor.  
 P390 Absorb spillage to prevent material damage.

## Additional advice on labelling

The classification is based on the pH value (EC regulation No. 1272/2008).

## 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

## SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## Chemical characterization

Acid cleaning agent

## Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
75-75-2	methanesulphonic acid			< 5 %
	200-898-6	607-145-00-4	01-2119491166-34	
	Met. Corr. 1, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, STOT SE 3; H290 H312 H302 H314 H318 H335			
7647-01-0	hydrochloric acid			< 10 %
	231-595-7		01-2119484862-27	
	Met. Corr. 1, Skin Corr. 1A, Eye Dam. 1, STOT SE 3; H290 H314 H318 H335			
68920-66-1	Fatty alcohol ethoxylate			< 5 %
	500-236-9		01-2119489407-26	
	Skin Irrit. 2, Aquatic Chronic 2; H315 H411			
112-34-5	2-(2-butoxyethoxy)ethanol			< 5 %
	203-961-6	603-096-00-8	01-2119475104-44	
	Eye Irrit. 2; H319			

Full text of H and EUH statements: see section 16.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SYMPROfluid universal****6500 0600**

Revision date: 16.03.2021

Product code: 65000600\_AUS\_DD

Page 3 of 9

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
75-75-2	200-898-6	methanesulphonic acid	< 5 % %
		dermal: LD50 = > 1000 mg/kg; oral: LD50 = 1157,5 mg/kg	
7647-01-0	231-595-7	hydrochloric acid	< 10 % %
		Skin Corr. 1A; H314: >= 25 - 100 Skin Corr. 1B; H314: >= 10 - < 25 Eye Dam. 1; H318: >= 1 - 100 STOT SE 3; H335: >= 10 - 100	

**Labelling for contents according to Regulation (EC) No 648/2004**

&lt; 5 % non-ionic surfactants, perfumes (Limonene).

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Take off immediately all contaminated clothing and wash it before reuse.

**After inhalation**

Provide fresh air.

**After contact with skin**

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

**After contact with eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Seek medical advice immediately.

**After ingestion**

Rinse mouth. Do NOT induce vomiting. Call a physician immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Causes severe skin burns and eye damage.

**4.3. Indication of any immediate medical attention and special treatment needed**

Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

**5.2. Special hazards arising from the substance or mixture**

In case of fire may be liberated: Hydrogen chloride (HCl), Sulphur oxides

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

In case of fire and/or explosion do not breathe fumes.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General measures**

Use personal protection equipment.

Provide adequate ventilation.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

SYMPROfluid universal

6500 0600

Revision date: 16.03.2021

Product code: 65000600\_AUS\_DD

Page 4 of 9

**6.3. Methods and material for containment and cleaning up****Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal.

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

**SECTION 7: Handling and storage****7.1. Precautions for safe handling****Advice on safe handling**

Handle and open container with care.

Wear personal protection equipment (refer to section 8).

Avoid contact with eyes and skin.

When using do not eat, drink or smoke.

**Advice on protection against fire and explosion**

No special fire protection measures are necessary.

**7.2. Conditions for safe storage, including any incompatibilities****Requirements for storage rooms and vessels**

Keep only in the original container in a cool, well-ventilated place.

Keep container tightly closed.

**Hints on joint storage**

Do not store together with: Alkali (lye)

**7.3. Specific end use(s)**

Please refer to our internet website for more information: [www.renfert.com](http://www.renfert.com)

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
7647-01-0	Hydrogen chloride (gas and aerosol mists)	1	2		TWA (8 h)	WEL
		5	8		STEL (15 min)	WEL

**8.2. Exposure controls****Appropriate engineering controls**

Safe handling: see section 7

**Protective and hygiene measures**

Remove contaminated, saturated clothing immediately.

Wash hands before breaks and after work.

Avoid contact with eyes and skin.

Keep away from food, drink and animal feedingstuffs.

**Eye/face protection**

Wear eye/face protection.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SYMPROfluid universal****6500 0600**

Revision date: 16.03.2021

Product code: 65000600\_AUS\_DD

Page 5 of 9

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits.

Suitable material: CR (polychloroprene, chloroprene rubber), Butyl caoutchouc (butyl rubber), FKM (fluoro rubber), PVC (polyvinyl chloride)

Thickness of the glove material: 0,5 mm

Breakthrough time:  $\geq 8$  h

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

**Respiratory protection**

Provide adequate ventilation.

Respiratory protection necessary at: aerosol or mist formation

**Environmental exposure controls**

Do not allow to enter into surface water or drains.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	colourless
Odour:	fruity
pH-Value (at 20 °C):	< 1

**Changes in the physical state**

Melting point:	not determined
Boiling point or initial boiling point and boiling range:	100 °C
Flash point:	not applicable

**Explosive properties**

not explosive according to EU A.14

Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
Vapour pressure: (at 20 °C)	23 hPa
Density (at 20 °C):	1,02 - 1,06 g/cm <sup>3</sup>
Water solubility:	completely miscible
Partition coefficient n-octanol/water:	not determined
Viscosity / dynamic:	not determined
Viscosity / kinematic:	not determined
Relative vapour density:	not determined
Evaporation rate:	not determined

**9.2. Other information**

No data available

**SECTION 10: Stability and reactivity**

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SYMPROfluid universal****6500 0600**

Revision date: 16.03.2021

Product code: 65000600\_AUS\_DD

Page 6 of 9

**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

The mixture is chemically stable under recommended conditions of storage, use and temperature.

**10.3. Possibility of hazardous reactions**

Violent reaction with: Alkali (lye)

Corrosive to metals

**10.4. Conditions to avoid**

No special measures are necessary.

**10.5. Incompatible materials**

Violent reaction with: Alkali (lye)

Corrosive to metals

**10.6. Hazardous decomposition products**

No known hazardous decomposition products.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
75-75-2	methanesulphonic acid				
	oral	LD50 mg/kg	1157,5	Rat	OECD 401
	dermal	LD50 mg/kg	> 1000	Rabbit	OECD 402

**Irritation and corrosivity**

Causes severe skin burns and eye damage.

Causes serious eye damage.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Further information**

The product has not been tested. The statement is derived from the properties of the single components.

**SECTION 12: Ecological information****12.1. Toxicity**

There are no data available on the mixture itself.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SYMPROfluid universal****6500 0600**

Revision date: 16.03.2021

Product code: 65000600\_AUS\_DD

Page 7 of 9

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
68920-66-1	Fatty alcohol ethoxylate					
	Acute fish toxicity	LC50	108 mg/l	96 h	Danio rerio (zebrafish)	ECHA
	Acute crustacea toxicity	EC50	51 mg/l	48 h	Daphnia magna (Big water flea)	ECHA
	Algae toxicity	NOEC	> 0,1 - 10 mg/l			

**12.2. Persistence and degradability**

The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

(EC) No. 618/2004 on detergents.				
CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
112-34-5	2-(2-butoxyethoxy)ethanol			
	OECD 301C	76 %	28	
	Readily biodegradable (according to OECD criteria).			

**12.3. Bioaccumulative potential**

No indication of bioaccumulation potential.

**12.4. Mobility in soil**

No information available.

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

**12.7. Other adverse effects**

No information available.

**Further information**

The product has not been tested. The statement is derived from the properties of the single components. Do not allow uncontrolled discharge of product into the environment.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Disposal recommendations**

Dispose of waste according to applicable legislation.

**Contaminated packaging**

Handle contaminated packages in the same way as the substance itself.

**SECTION 14: Transport information****Land transport (ADR/RID)****14.1. UN number:**

UN 3264

**14.2. UN proper shipping name:**ÄTZENDER SAURER ANORGANISCHER FLÜSSIGER STOFF, N.A.G.  
(Salzsäure und Methansulfonsäure Mischung)**14.3. Transport hazard class(es):**

8

**14.4. Packing group:**

II

**Marine transport (IMDG)****14.1. UN number:**

UN 3264

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

SYMPROfluid universal

6500 0600

Revision date: 16.03.2021

Product code: 65000600\_AUS\_DD

Page 8 of 9

**14.2. UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Alkylsulphonic acid and hydrochloric acid mixture)

**14.3. Transport hazard class(es):** 8

**14.4. Packing group:** II

Marine pollutant: no

**Air transport (ICAO-TI/IATA-DGR)**

**14.1. UN number:** UN 3264

**14.2. UN proper shipping name:** CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Alkylsulphonic acid and hydrochloric acid mixture)

**14.3. Transport hazard class(es):** 8

**14.4. Packing group:** II

**14.5. Environmental hazards**

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Further information: see section 6, 7, 8

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 55

2004/42/EC (VOC): not applicable

**Additional information**

Labelling for contents according to regulation (EC) No 648/2004, annex 7:

< 5% non-ionic surfactants, perfumes (d-Limonen)

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

**Additional information**

REGULATION (EC) No 1005/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on substances that deplete the ozone layer: not applicable

REGULATION (EU) 2019/1021 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL on persistent organic pollutants

: not applicable

REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL concerning the export and import of hazardous chemicals: not applicable

**SECTION 16: Other information****Abbreviations and acronyms**

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LD50: lethal dose, 50%

LC50: lethal concentration, 50%

EC50: half maximal effective concentration

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route (European



**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**SYMPROfluid universal****6500 0600**

Revision date: 16.03.2021

Product code: 65000600\_AUS\_DD

Page 9 of 9

Agreement concerning the International Carriage of Dangerous Goods by Road)  
RID: Règlement concernant le transport international ferroviaire de marchandises Dangereuses (Regulations  
Concerning the International Transport of Dangerous Goods by Rail)  
IMDG: International Maritime Code for Dangerous Goods  
ICAO: International Civil Aviation Organization  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
VOC: volatile organic compound(s)

**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1B; H314	
Eye Dam. 1; H318	Calculation method

**Relevant H and EUH statements (number and full text)**

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H411	Toxic to aquatic life with long lasting effects.

**Further Information**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material. Restricted to professional users.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*