



**Safety Data Sheet
according to WHS Regulations**

Printing date 01.02.2021

Version number 4

Revision: 01.02.2021

Hazardous according to criteria of Australian Safety and Compensation Council.

1 Identification

· **Product identifier**

- **Trade name:** **Preciano remover for conduct. silver lacquer**
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
 - **Application of the substance / the mixture** Electroplating auxiliary

· **Details of the supplier of the safety data sheet**

- **Manufacturer/Supplier:**
Kulzer Australia Pty Ltd
Unit 20, 53 Lorraine Street
Peakhurst, NSW 2210
Australia

Tel: +61 (0) 2 9153 0311

- **Informing department:** see above
- **Emergency telephone number:**
Poison Information Number: Australia 13 11 26 & New Zealand 0800 764 766

2 Hazard(s) Identification

· **Classification of the substance or mixture**

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

· **Label elements**

· **GHS label elements**

The product is classified and labelled according to the Globally Harmonised System (GHS).

· **Hazard pictograms**



GHS05

· **Signal word** Danger

· **Hazard-determining components of labelling:**

nitric acid

· **Hazard statements**

Causes severe skin burns and eye damage.

· **Precautionary statements**

Do not breathe dusts or mists.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

Specific treatment (see on this label).

Store locked up.

· **Other hazards -**

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.



**Safety Data Sheet
according to WHS Regulations**

Printing date 01.02.2021

Version number 4

Revision: 01.02.2021

Trade name: Preciano remover for conduct. silver lacquer

(Contd. of page 1)

3 Composition and Information on Ingredients

· **Chemical characterisation: Mixtures**

· **Description:** -

· **Dangerous components:**

CAS: 7697-37-2	nitric acid	Ox. Liq. 2, H272; Skin Corr. 1A, H314	25-50%
EINECS: 231-714-2			

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

4 First Aid Measures

· **Description of first aid measures**

· **General information**

Personal protection for the First Aider.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Remove breathing apparatus only after soiled clothing has been completely removed.

Instantly remove any clothing soiled by the product.

· **After inhalation** In case of unconsciousness bring patient into stable side position for transport.

· **After skin contact** Instantly wash with water and soap and rinse thoroughly.

· **After eye contact**

Rinse opened eye for several minutes under running water. Then consult doctor.

· **After swallowing**

Rinse out mouth and then drink plenty of water.

Drink copious amounts of water and provide fresh air. Instantly call for doctor.

· **Information for doctor**

· **Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **Danger**

Danger of gastric perforation.

Danger of pulmonary oedema.

· **Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

5 Fire Fighting Measures

· **Extinguishing media**

· **Suitable extinguishing agents**

CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· **For safety reasons unsuitable extinguishing agents** Water with a full water jet.

· **Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

Nitrogen oxides (NO_x)

· **Advice for firefighters**

· **Protective equipment:** Wear self-contained breathing apparatus.

· **Additional information** -

6 Accidental Release Measures

· **Personal precautions, protective equipment and emergency procedures**

Wear protective equipment. Keep unprotected persons away.

· **Environmental precautions:**

Dilute with much water.

(Contd. on page 3)



Safety Data Sheet
according to WHS Regulations

Printing date 01.02.2021

Version number 4

Revision: 01.02.2021

Trade name: Preciano remover for conduct. silver lacquer

(Contd. of page 2)

- Do not allow product to reach sewage system or water bodies.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (diatomite, universal binders, for small amounts tissues).
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.
- **Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.
-

7 Handling and Storage

- **Handling**
 - **Precautions for safe handling**
Keep containers tightly sealed.
Prevent formation of aerosols.
Ensure good ventilation/exhaustion at the workplace.
 - **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
 - **Storage**
 - **Requirements to be met by storerooms and containers:** Provide acid-resistant floor.
 - **Information about storage in one common storage facility:**
Store away from foodstuffs.
Store away from flammable substances.
Store away from metals.
 - **Further information about storage conditions:** Keep receptacle tightly sealed.
 - **Specific end use(s)** No further relevant information available.

8 Exposure controls and personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**

· **Components with critical values that require monitoring at the workplace:**

7697-37-2 nitric acid

NES (Australia)	Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5.2 mg/m ³ , 2 ppm
PEL (USA)	5 mg/m ³ , 2 ppm
REL (USA)	Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5 mg/m ³ , 2 ppm
TLV (USA)	Short-term value: 10 mg/m ³ , 4 ppm Long-term value: 5.2 mg/m ³ , 2 ppm

· **Additional information:** The lists that were valid during the compilation were used as basis.

- **Exposure controls**
 - **Personal protective equipment**
 - **General protective and hygienic measures**
Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.

(Contd. on page 4)



**Safety Data Sheet
according to WHS Regulations**

Printing date 01.02.2021

Version number 4

Revision: 01.02.2021

Trade name: Preciano remover for conduct. silver lacquer

(Contd. of page 3)

- **Breathing equipment:**
filter: ABEK
Filter P3.
- **Protection of hands:**
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
Check the permeability prior to each renewed use of the glove.
Check protective gloves prior to each use for their proper condition.
recommended
 - **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
 - **Penetration time of glove material**
Value for the permeation: Level ≤ 3
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
 - **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**
Butyl rubber, BR
Nitrile rubber, NBR
 - **Not suitable are gloves made of the following materials:** Leather gloves
- **Eye protection:** Tightly sealed safety glasses.
- **Body protection:** Protective work clothing.

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

- **Form:** Fluid
- **Colour:** Colourless
- **Smell:** Product specific
- **Odour threshold:** Not determined.

· **pH-value at 20 °C:** 1

· Change in condition

- **Melting point/freezing point:** Not determined
- **Initial boiling point and boiling range:** Not determined

· **Flash point:** Not applicable

· **Inflammability (solid, gaseous)** Not applicable.

· Ignition temperature:

- **Decomposition temperature:** Not determined.

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

· Critical values for explosion:

- **Lower:** Not determined.

(Contd. on page 5)



Safety Data Sheet
according to WHS Regulations

Printing date 01.02.2021

Version number 4

Revision: 01.02.2021

Trade name: Preciano remover for conduct. silver lacquer

(Contd. of page 4)

· Upper:	Not determined.
· Steam pressure:	Not determined.
· Density at 20 °C	1,252 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.
· Solubility in / Miscibility with	
· Water:	Fully miscible
· Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
· dynamic:	Not determined.
· kinematic:	Not determined.
· Other information	No further relevant information available.

10 Stability and Reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
 - **Conditions to be avoided:** No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions**
 - Violent reactions with strong alkalis and oxidizing agents
 - Reacts with various metals
 - Reacts with reducing agents
 - Reacts with metals to form nitrous fumes and hydrogen
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Nitrous vitriol gases

11 Toxicological Information

- **Information on toxicological effects**
 - **Acute toxicity**
 - **Primary irritant effect:**
 - **Skin corrosion/irritation** Strong caustic effect on skin and mucous membranes.
 - **Serious eye damage/irritation** Strong caustic effect.
 - **Respiratory or skin sensitisation** No sensitizing effect known.
 - **Additional toxicological information:**
 - The product shows the following dangers according to the calculation method of the General EC Classification Guidelines for Preparations as issued in the latest version:
 - Corrosive
 - Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

12 Ecological Information

- **Toxicity**
 - **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:**
 - **Bioaccumulative potential** No further relevant information available.

(Contd. on page 6)

AUS



Safety Data Sheet
according to WHS Regulations

Printing date 01.02.2021

Version number 4

Revision: 01.02.2021

Trade name: Preciano remover for conduct. silver lacquer

(Contd. of page 5)

- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
 - **General notes:**
Do not allow product to reach ground water, water bodies or sewage system.
Danger to drinking water if even small quantities leak into soil.
- **Results of PBT and vPvB assessment**
 - **PBT:** Not applicable.
 - **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
 - **Recommendation**
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packagings:**
 - **Recommendation:** Disposal must be made according to official regulations.
 - **Recommended cleaning agent:** Water, if necessary with cleaning agent.

14 Transport information

- | | |
|--|-----------------------------------|
| · UN-Number
· ADG, IMDG, IATA | 2031 |
| · UN proper shipping name
· ADG
· IMDG, IATA | 2031 NITRIC ACID
NITRIC ACID |
| · Transport hazard class(es)
· ADG
 | 8 (C1) Corrosive substances.
8 |
| · IMDG, IATA
 | 8 Corrosive substances.
8 |
| · Packing group
· ADG, IMDG, IATA | II |
| · Environmental hazards:
· Marine pollutant: | No |

(Contd. on page 7)



Safety Data Sheet
according to WHS Regulations

Printing date 01.02.2021

Version number 4

Revision: 01.02.2021

Trade name: Preciano remover for conduct. silver lacquer

(Contd. of page 6)

· Special precautions for user	Warning: Corrosive substances.
· Kemler Number:	80
· EMS Number:	F-A,S-B
· Segregation groups	Acids
· Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	-
· ADG	
· Limited quantities (LQ)	1L
· Transport category	2
· Tunnel restriction code	E
· UN "Model Regulation":	UN2031, NITRIC ACID, 8, II

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **GHS label elements**
The product is classified and labelled according to the Globally Harmonised System (GHS).
- **Hazard pictograms**



GHS05

- **Signal word** *Danger*
- **Hazard-determining components of labelling:**
nitric acid
- **Hazard statements**
Causes severe skin burns and eye damage.
- **Precautionary statements**
Do not breathe dusts or mists.
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a POISON CENTER/doctor.
Specific treatment (see on this label).
Store locked up.
- **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
H272 May intensify fire; oxidiser.
H314 Causes severe skin burns and eye damage.

(Contd. on page 8)



Safety Data Sheet
according to WHS Regulations

Printing date 01.02.2021

Version number 4

Revision: 01.02.2021

Trade name: Preciano remover for conduct. silver lacquer

(Contd. of page 7)

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Ox. Liq. 2: Oxidizing liquids – Category 2

Skin Corr. 1A: Skin corrosion/irritation – Category 1A

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

· * Data compared to the previous version altered.

AUS